



SB201CPL Contamination Spy

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form : Mixtures
Product name : SB201CPL Contamination Spy
Product code : SB201CPL

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Latent fingerprint powder

1.3. Supplier

<u>Hersteller:</u> SIRCHIE Finger Print Laboratories 100 Hunter Place 27596 Youngsville, NC – USA T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181 http://www.sirchie.com	<u>Lieferant:</u> Kunststoff-Institut Lüdenscheid GmbH Karolinenstr. 8 D – 58507 Lüdenscheid T +49 2351 1064 191 http:// www.kunststoff-institut.de
--	--

1.4. Emergency telephone number

Emergency number : 1.800.424.9300
CHEMTREC: 1.800.424.9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Epidemiological studies of workers in the Carbon Black pigment producing industries of North America and Western Europe show no significant adverse health effect due to occupational exposure to Carbon Black pigment. Early studies in the former USSR and Eastern Europe report respiratory diseases among workers exposed to Carbon Black pigment, including bronchitis, pneumonia, emphysema, and rhinitis. Such studies are of questionable validity, due to inadequate study design and methodology, lack of appropriate controls for cigarette smoking, and other confounding factors such as concurrent exposures to carbon monoxide, coal oil and petroleum vapors. Moreover, review of these studies indicates that concentrations of Carbon Black pigment are greater than current occupational exposure standards. In Monograph 65, issued in April 1996, The International Agency for Research on Cancer (IARC) re-evaluated Carbon Black pigment and concluded that: "Although one cohort study on the Carbon Black pigment production industry showed slight excesses of cancer, the totality of the epidemiology studies, both in the Carbon Black pigment industry and in some user industries, suggested that there is inadequate evidence for the carcinogenicity in humans of Black pigment."

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
carbon black	(CAS-No.) 1333-86-4	75	Carc. 2, H351
Lycopodium	(CAS-No.) 8023-70-9	12.5	Flam. Sol. 1, H228
stearic acid	(CAS-No.) 57-11-4	> 0.36	Not classified
aluminium,powder,coated,dangerous	(CAS-No.) 7429-90-5		Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

- Reactivity : No reactivity hazard other than the effects described in sub-sections below.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from	: Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

carbon black (1333-86-4)		
ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ (Inhalable fraction)
OSHA	OSHA PEL (TWA) (mg/m ³)	3.5 mg/m ³
Lycopodium (8023-70-9)		
Not applicable		
aluminium,powder,coated,dangerous (7429-90-5)		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (Respirable fraction)
stearic acid (57-11-4)		
Not applicable		

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powders.
Color	: Black
Odor	: odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

carbon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 3000 mg/kg (Rabbit, Literature study)
LC50 inhalation rat (mg/l)	> 4.6 mg/l air (4 h, Rat, Experimental value)

stearic acid (57-11-4)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SB201L HI-FI Latent Print Powder, Silver/Black	
Additional information	This product contains less than 0.1% of absorbed PAHs (polynuclear aromatic hydrocarbons). In non-absorbed form, some PAHs have been found to be carcinogens in animal studies. No correlating carcinogenic effect, however, has been observed in humans due to exposure to Carbon Black pigment. Chronic inflammation, lung fibrosis, and lung tumors have been observed in some rats experimentally exposed, for long periods of time, to very high concentrations. Researchers conducting rat inhalation studies believe that these effects most likely result from massive accumulation of small dust particles in the lung which overwhelm the natural lung clearance mechanism, known as "lung overload" phenomenon, rather than from a specific chemical effect of the dust particles in the lung.

Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

carbon black (1333-86-4)	
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Literature study)
EC50 Daphnia 1	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value)

stearic acid (57-11-4)	
LC50 fish 1	14 mg/l (Poecilia reticulata)

12.2. Persistence and degradability

SB201L HI-FI Latent Print Powder, Silver/Black	
Persistence and degradability	Not established.

carbon black (1333-86-4)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

aluminium,powder,coated,dangerous (7429-90-5)	
Persistence and degradability	Biodegradability in soil: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

stearic acid (57-11-4)	
Persistence and degradability	Biodegradable in the soil.
Biochemical oxygen demand (BOD)	4 - 27 g O ₂ /g substance
BOD (% of ThOD)	0.49

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

SB201L HI-FI Latent Print Powder, Silver/Black	
Bioaccumulative potential	Not established.
carbon black (1333-86-4)	
Bioaccumulative potential	Not bioaccumulative.
aluminium,powder,coated,dangerous (7429-90-5)	
Bioaccumulative potential	No test data of component(s) available.
stearic acid (57-11-4)	
Log Pow	8.23 (Experimental value)
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

carbon black (1333-86-4)	
Ecology - soil	Adsorbs into the soil. Not toxic to plants. Not toxic to animals.
aluminium,powder,coated,dangerous (7429-90-5)	
Ecology - soil	Contains component(s) that adsorb(s) into the soil.
stearic acid (57-11-4)	
Surface tension	0.029 N/m (70 °C)
Ecology - soil	Adsorbs into the soil.

12.5. Other adverse effects

Effect on the global warming	: No known effects from this product.
GWPMix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Proper Shipping Name (DOT)	: Aluminum powder, coated
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Proper Shipping Name (IMDG)	: ALUMINIUM POWDER, COATED
-----------------------------	----------------------------

Air transport

Proper Shipping Name (IATA)	: Aluminium powder, coated
-----------------------------	----------------------------

SECTION 15: Regulatory information

15.1. US Federal regulations

SB201L HI-FI Latent Print Powder, Silver/Black	
Subject to reporting requirements of United States SARA Section 313	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

SB201L HI-FI Latent Print Powder, Silver/Black

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

SB201L HI-FI Latent Print Powder, Silver/Black

Listed on IARC (International Agency for Research on Cancer)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

SB201L HI-FI Latent Print Powder, Silver/Black

U.S. - California - Proposition 65 - Carcinogens List

Yes

U.S. - California - Proposition 65 - Developmental Toxicity

No

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

No

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

No


SECTION 16: Other information

- Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
- Other information : This Safety Data Sheet has been established in accordance with the applicable European Union legislation.

Full text of H-phrases:

H228	Flammable solid
H351	Suspected of causing cancer

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
- NFPA reactivity : 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



SB201L HI-FI Latent Print Powder, Silver/Black

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Personal protection : E

E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.